

OT CABLE CLAMP E-STYLE

OPTOTRONIC Cable Clamp



Product family features

- Easy to install and flexible cable clamps
- Separate cable clamps for primary and secondary side
- Pre-fixed, captive screws
- Through-looping (TL version - max. 10A mains through wiring current)

Product family benefits

- Simple and quick cable mounting
- Sufficient space for cable connection
- Cost-effective and space-saving solution (TL version)
- Free cable connection thanks to open flaps
- Immediate installation thanks to pre-assembled cable clamps

Areas of application


- Downlights, flat luminaires
- Suitable for different cable types
- Suitable for indoor installations

Technical data

Electrical data

System wattage	0 W
----------------	-----

Dimensions & weight



Height	25.0 mm
Length	38.0 mm
Width	53.0 mm
Product weight	16.00 g

Certificates & standards

Type of protection	n/a
--------------------	-----

Logistical data

Commodity code	39269097900
----------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Declaration No. in SCIP database	In work
Date of Declaration	25-06-2024
Primary Article Identifier	4052899167896
SCIP_STATUS	In work
SCIP_ID	

Download Data

File		
CAD data	Compressed	▶ CAD data IGS OT Cable Clamp E-Style
CAD data	Compressed	▶ CAD data STEP OT Cable Clamp E-Style
CAD data PDF	Compressed	▶ CAD data PDF OT Cable Clamp E-Style

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899167896	OT CABLE CLAMP E- STYLE	Shipping carton box 20 Pieces	278 x 87 x 70 mm	1.69 dm ³	19.15 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.